ELSEVIER

Physica C 308 (1998) 315–317

PHYSICA C

Author Index to Volume 308

Alexandrov, A.S. and R.T. Giles, Low temperature thermodynamics of charged bosons in a random potential and the specific heat of $La_{2-x}Sr_xCuO_4$ below T_c, **308** (1998) 1
Alonso, J.A., see Puig, T., **308** (1998) 115
Arisawa, S., T. Hatano, K. Nakamura and K. Togano, Effect of the substrates of in-situ fabrication of borocarbide thin films, **308** (1998) 67
Ausloos, M., see Pękała, M., **308** (1998) 313
Aytug, T., see Gapud, A.A., **308** (1998) 264

Balakrishnan, G., see Banerjee, S.S., **308** (1998) 25
Banerjee, S.S., S. Saha, N.G. Patil, S. Ramakrishnan, A.K. Grover, S. Bhattacharya, G. Ravikumar, P.K. Mishra, T.V.C. Rao, V.C. Sahni, C.V. Tomy, G. Balakrishnan, D.Mck. Paul and M.J. Higgins, Generic phase diagram for vortex matter via a study of peak effect phenomenon in crystals of 2H-$NbSe_2$, **308** (1998) 25
Barkov, T.L., see Vinnikov, L.Ya., **308** (1998) 99
Basu, A.N., see Ghosh, A.K., **308** (1998) 33
Baudenbacher, F., see Doyle, R.A., **308** (1998) 169
Beaugnon, E., see Gautier-Picard, P., **308** (1998) 161
Behr, G., see Bitterlich, H., **308** (1998) 243
Belger, A., see Bitterlich, H., **308** (1998) 243
Belosludov, V.R., see Nemov, N.A., **308** (1998) 55
Bettinelli, D., see Gömöry, F., **308** (1998) 203
Bhattacharya, S., see Banerjee, S.S., **308** (1998) 25
Bitterlich, H., W. Löser, G. Behr, K. Nenkov, G. Fuchs, A. Belger and L. Schultz, Magnetic ordering and superconductivity in $Tb_xY_{1-x}Ni_2B_2C$, **308** (1998) 243
Boikov, Yu.A., see Chakalov, R.A., **308** (1998) 279
Bougrine, H., see Pękała, M., **308** (1998) 313

Carlsson, E., see Chakalov, R.A., **308** (1998) 279
Chaddah, P., see Roy, S.B., **308** (1998) 312
Chakalov, R.A., Z.G. Ivanov, Yu.A. Boikov, P. Larsson, E. Carlsson, S. Gevorgian and T. Claeson, Fabrication and investigation of $YBa_2Cu_3O_{7-\delta}/Ba_{0.05}Sr_{0.95}TiO_3$ thin film structures for voltage tunable devices, **308** (1998) 279
Chattopadhyay, B., see Das, A.N., **308** (1998) 226
Chaud, X., see Gautier-Picard, P., **308** (1998) 161
Chen, H., see Yang, W.L., **308** (1998) 294
Chiba, T., Y.-L. Wang, R.L. Sabatini, Q. Li, L.-J. Wu, M. Suenaga, P. Haldar and K. Noto, Enhanced critical current in $Bi_2Sr_2Ca_2Cu_3O_{10}$/Ag tapes by a low-temperature intermediate heat treatment, **308** (1998) 40
Chiodelli, G., I. Wenneker, P. Ghigna, G. Spinolo, G. Flor, M. Ferretti and E. Magnone, Oxygen non-stoichiometry and high temperature DC conductivity of $SmBa_2Cu_3O_{6+x}$, **308** (1998) 257
Choughule, D.D., see Marest, G., **308** (1998) 85
Chu, W.K., see Gapud, A.A., **308** (1998) 264
Chung, H., see Hua, L., **308** (1998) 105
Claeson, T., see Chakalov, R.A., **308** (1998) 279
Cloots, R., see Pękała, M., **308** (1998) 313
Crotti, G., see Gömöry, F., **308** (1998) 203
Cui, X.T., see Gapud, A.A., **308** (1998) 264

Das, A.N. and B. Chattopadhyay, An extended pair tunneling model: studies on bilayer splitting and some superconducting state properties, **308** (1998) 226
DeLong, L.E., see Roy, S.B., **308** (1998) 312
Dewhurst, C.D., see Doyle, R.A., **308** (1998) 123
Dong, C., see Yang, W.L., **308** (1998) 294
Doyle, R.A., S.F.W.R. Rycroft, C.D. Dewhurst, E. Zeldov, I. Tsabba, S. Reich, T.B. Doyle, T. Tamegai and S. Ooi, The effect of sample shape on the magnetisation in $Bi_2Sr_2CaCu_2O_{8+\delta}$ crystals, **308** (1998) 123
Doyle, R.A., W.A.J. Quinton, F. Baudenbacher and W.Y. Liang, Field dependence of superconducting properties of $YBa_2Cu_3O_{7-\delta}$ films on Hastelloy substrates, **308** (1998) 169
Doyle, T.B., see Doyle, R.A., **308** (1998) 123
Dubourdieu, C., J.P. Sénateur, O. Thomas, F. Weiss, S. Hensen and G. Müller, Correlation between the microwave surface resistance and the volumic fraction of *a*-axis grains in $YBa_2Cu_3O_{7-x}$ films, **308** (1998) 16

Ferretti, M., see Chiodelli, G., **308** (1998) 257
Flor, G., see Chiodelli, G., **308** (1998) 257
Fuchs, G., see Bitterlich, H., **308** (1998) 243

Gadomski, W., see Pękała, M., **308** (1998) 313
Galkin, A.Yu., L. Půst, M. Jirsa, P. Nálevka and M.R. Koblischka, On the dynamics of vortices in BSCCO(2223)/Ag tape, **308** (1998) 21
Gapud, A.A., T. Aytug, S.H. Yoo, Y.Y. Xie, B.W. Kang, S.D. Gapud, J.Z. Wu, S.W. Wu, W.Y. Liang, X.T. Cui, J.R. Liu and W.K. Chu, Lithium-doping-assisted growth of $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconducting phase in bulks and thin films, **308** (1998) 264

Gapud, S.D., see Gapud, A.A., **308** (1998) 264
Gautier-Picard, P., E. Beaugnon, X. Chaud, A. Sulpice and R. Tournier, Growth of YBaCuO mono-domains: growth limit and mono-domains with a diameter up to 7 cm, **308** (1998) 161
Gevorgian, S., see Chakalov, R.A., **308** (1998) 279
Gherardi, L., see Gömöry, F., **308** (1998) 203
Ghigna, P., see Chiodelli, G., **308** (1998) 257
Ghosh, A.K. and A.N. Basu, Fluctuation-induced conductivity of polycrystalline high-T_c superconductors, **308** (1998) 33
Giles, R.T., see Alexandrov, A.S., **308** (1998) 1
Gogova, D., see Veneva, A., **308** (1998) 175
Gömöry, F., D. Bettinelli, L. Gherardi, G. Crotti and D. Morin, Contactless measurement of hysteretic transport AC losses in multifilamentary BiSrCaCuO-2223/Ag tapes, **308** (1998) 203
Grovenor, C.R.M., see Pękała, M., **308** (1998) 313
Grover, A.K., see Banerjee, S.S., **308** (1998) 25
Györffy, B.L., see Litak, G., **308** (1998) 132

Haldar, P., see Chiba, T., **308** (1998) 40
Hannoyer, B., see Marest, G., **308** (1998) 85
Hatano, T., see Arisawa, S., **308** (1998) 67
Hensen, S., see Dubourdieu, C., **308** (1998) 16
Higgins, M.J., see Banerjee, S.S., **308** (1998) 25
Hua, L., J. Yoo, J. Ko, H. Kim, H. Chung and G. Qiao, Effect of precursor powders on phase evolution and electromagnetic properties of controlled melting processed Bi-2223 Ag-sheathed tapes, **308** (1998) 105

Imagawa, Y., K. Kakimoto and Y. Shiohara, Effect of high oxygen partial pressure atmosphere for melt-processed $YBa_2Cu_3O_{6+\delta}$ current lead by unidirectional solidification, **308** (1998) 235
Ingle, N.J.C., T.C. Willis, D.C. Larbalestier and C. Meingast, Effects of hot isostatic pressing on the lattice parameters and the transition temperature of $Pb_{0.8}Sn_{0.2}Mo_6S_8$, **308** (1998) 191
Iordanov, I., see Veneva, A., **308** (1998) 175
Irmer, B., see Vinnikov, L.Ya., **308** (1998) 99
Isawa, K., see Ito, T., **308** (1998) 9
Ito, T., H. Suematsu, K. Isawa, M. Karppinen and H. Yamauchi, Optimization of the synthesis and tuning the oxygen content of the $CuBa_2Ca_2Cu_3O_{8+\delta}$ (Cu-1223:P) superconductor, **308** (1998) 9
Ito, T., H. Suematsu, M. Karppinen and H. Yamauchi, Oxygen content in high-pressure synthesized $CuBa_2Ca_3Cu_4O_{10+\delta}$ (Cu-1234:P) superconductor, **308** (1998) 198
Ivanov, Z.G., see Chakalov, R.A., **308** (1998) 279

Jirsa, M., see Galkin, A.Yu., **308** (1998) 21

Kakimoto, K., see Imagawa, Y., **308** (1998) 235
Kang, B.W., see Gapud, A.A., **308** (1998) 264
Kang, K.Y., see Suh, J.D., **308** (1998) 251
Karppinen, M., see Ito, T., **308** (1998) 198
Karppinen, M., see Ito, T., **308** (1998) 9
Kim, C.H., see Suh, J.D., **308** (1998) 251
Kim, D.K., see Suh, J.D., **308** (1998) 251
Kim, H., see Hua, L., **308** (1998) 105
Kim, H.S., see Suh, J.D., **308** (1998) 251
Kim, J.-Y., S.-Y. Lee, I.-S. Yang, T.G. Lee, S.S. Yom, K. Kim and J.H. Kim, Raman and infrared spectroscopy of $YBa_2Cu_3O_{7-\delta}$–$BaPbO_3$ composites, **308** (1998) 60
Kim, J.H., see Kim, J.-Y., **308** (1998) 60
Kim, J.H., see Oh, S., **308** (1998) 91
Kim, K., see Kim, J.-Y., **308** (1998) 60
Ko, J., see Hua, L., **308** (1998) 105
Koblischka, M.R., see Galkin, A.Yu., **308** (1998) 21
Koike, S., K. Yamaji and T. Yanagisawa, Exact-diagonalization study on the effect of the long-range Coulomb interaction to the superconducting ground state in the two-chain Hubbard model, **308** (1998) 301
Kouvel, J.S., see Obaidat, I.M., **308** (1998) 185
Kragler, K., see Vinnikov, L.Ya., **308** (1998) 99

Larbalestier, D.C., see Ingle, N.J.C., **308** (1998) 191
Larsson, P., see Chakalov, R.A., **308** (1998) 279
Lee, H.K., Synthesis and superconductivity of a new type of Pb-1212 phase $(Pb,V)Sr_2(Ca,Y)Cu_2O_z$, **308** (1998) 289
Lee, J.Y., see Suh, J.D., **308** (1998) 251
Lee, K., see Oh, S., **308** (1998) 91
Lee, S.-Y., see Kim, J.-Y., **308** (1998) 60
Lee, T.G., see Kim, J.-Y., **308** (1998) 60
Li, Q., see Chiba, T., **308** (1998) 40
Liang, W.Y., see Doyle, R.A., **308** (1998) 169
Liang, W.Y., see Gapud, A.A., **308** (1998) 264
Linnros, J., see Mou, D., **308** (1998) 221
Litak, G., B.L. Györffy and K.I. Wysokiński, Charge and order parameter fluctuations in disordered superconductors, **308** (1998) 132
Liu, J.R., see Gapud, A.A., **308** (1998) 264
Löser, W., see Bitterlich, H., **308** (1998) 243

Magnone, E., see Chiodelli, G., **308** (1998) 257
Mahel', M. and J. Pivarč, Magnetic hysteresis in high-temperature cuprates, **308** (1998) 147
Marest, G., B. Hannoyer, F. Petit, D.D. Choughule, S.B. Ogale and S.I. Patil, A Mössbauer study of $(Bi,Pb)_2Sr_2Ca_2(Cu,Fe)_3O_{10}$ around the superconducting transition temperature, **308** (1998) 85
Martínez, B., see Puig, T., **308** (1998) 115
Meerovich, V., see Sokolovsky, V., **308** (1998) 215
Meingast, C., see Ingle, N.J.C., **308** (1998) 191
Mishra, P.K., see Banerjee, S.S., **308** (1998) 25
Morgan, C.G., see Pękała, M., **308** (1998) 313
Morin, D., see Gömöry, F., **308** (1998) 203
Mou, D., J. Linnros, C.S. Petersson and K.V. Rao, Electrical properties of epitaxial $PbTiO_3/YBa_2Cu_3O_{7-x}$ heterostructures, **308** (1998) 221
Müller, G., see Dubourdieu, C., **308** (1998) 16

Nakamura, K., see Arisawa, S., **308** (1998) 67
Nálevka, P., see Galkin, A.Yu., **308** (1998) 21
Nemov, N.A. and V.R. Belosludov, Phase diagram and phase separation of cuprate oxides in decorated Ising model, **308** (1998) 55

Nenkov, K., see Bitterlich, H., **308** (1998) 243
Ni, Y.M., see Yang, W.L., **308** (1998) 294
Noto, K., see Chiba, T., **308** (1998) 40

Obaidat, I.M., S.J. Park and J.S. Kouvel, Vortex behavior in a rotated $YBa_2Cu_3O_{7-\delta}$ polycrystal, **308** (1998) 185
Obradors, X., see Puig, T., **308** (1998) 115
Ogale, S.B., see Marest, G., **308** (1998) 85
Oh, S., J. Yoo, K. Lee, J.H. Kim and D. Youm, Comparative study on the crack formations in the CeO_2 buffer layers for YBCO films on textured Ni tapes and Pt tapes, **308** (1998) 91
Ooi, S., see Doyle, R.A., **308** (1998) 123

Park, S.J., see Obaidat, I.M., **308** (1998) 185
Patil, N.G., see Banerjee, S.S., **308** (1998) 25
Patil, S.I., see Marest, G., **308** (1998) 85
Paul, D.Mck., see Banerjee, S.S., **308** (1998) 25
Pękała, M., H. Bougrine, W. Gadomski, C.G. Morgan, C.R.M. Grovenor, R. Cloots and M. Ausloos, Erratum to 'Distribution of vortex lattice melting temperatures in mixed state diagram of Bi2212 tapes' [Physica C 303 (1998) 169–176], **308** (1998) 313
Petersson, C.S., see Mou, D., **308** (1998) 221
Petit, F., see Marest, G., **308** (1998) 85
Pivarč, J., see Mahel', M., **308** (1998) 147
Puig, T., X. Obradors, B. Martínez and J.A. Alonso, Enhanced interface pinning and aging by high pressure oxygenation of melt textured $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$, **308** (1998) 115
Půst, L., see Galkin, A.Yu., **308** (1998) 21

Qiao, G., see Hua, L., **308** (1998) 105
Qin, Y.L., see Yang, W.L., **308** (1998) 294
Quinton, W.A.J., see Doyle, R.A., **308** (1998) 169

Ramakrishnan, S., see Banerjee, S.S., **308** (1998) 25
Rao, K.V., see Mou, D., **308** (1998) 221
Rao, T.V.C., see Banerjee, S.S., **308** (1998) 25
Ravikumar, G., see Banerjee, S.S., **308** (1998) 25
Reich, S., see Doyle, R.A., **308** (1998) 123
Roy, S.B., P. Chaddah and L.E. DeLong, Erratum to 'Possibility of a first-order transition in the magnetization study of the anomalous superconducting mixed state of $CeRu_2$' [Physica C 304 (1998) 43–50], **308** (1998) 312
Rycroft, S.F.W.R., see Doyle, R.A., **308** (1998) 123

Sabatini, R.L., see Chiba, T., **308** (1998) 40
Saemann-Ischenko, G., see Vinnikov, L.Ya., **308** (1998) 99
Saha, S., see Banerjee, S.S., **308** (1998) 25
Sahni, V.C., see Banerjee, S.S., **308** (1998) 25
Samokhvalov, A.V., Expanding vortex rings in a current-carrying superconducting cylinder, **308** (1998) 74
Schultz, L., see Bitterlich, H., **308** (1998) 243
Sénateur, J.P., see Dubourdieu, C., **308** (1998) 16
Shiohara, Y., see Imagawa, Y., **308** (1998) 235
Sokolovsky, V. and V. Meerovich, Heating due to AC losses in high-temperature superconductors, **308** (1998) 215
Spinolo, G., see Chiodelli, G., **308** (1998) 257
Stoyanova-Ivanova, A., see Veneva, A., **308** (1998) 175
Suematsu, H., see Ito, T., **308** (1998) 198
Suematsu, H., see Ito, T., **308** (1998) 9
Suenaga, M., see Chiba, T., **308** (1998) 40
Suh, J.D., G.Y. Sung, K.Y. Kang, H.S. Kim, J.Y. Lee, D.K. Kim and C.H. Kim, Cubic Y–Ba–Cu–O thin films by high speed pulsed laser deposition, **308** (1998) 251
Sulpice, A., see Gautier-Picard, P., **308** (1998) 161
Sung, G.Y., see Suh, J.D., **308** (1998) 251

Tamegai, T., see Doyle, R.A., **308** (1998) 123
Thomas, O., see Dubourdieu, C., **308** (1998) 16
Togano, K., see Arisawa, S., **308** (1998) 67
Tomy, C.V., see Banerjee, S.S., **308** (1998) 25
Toshev, L., see Veneva, A., **308** (1998) 175
Tournier, R., see Gautier-Picard, P., **308** (1998) 161
Tsabba, I., see Doyle, R.A., **308** (1998) 123

Veneva, A., I. Iordanov, L. Toshev, A. Stoyanova-Ivanova and D. Gogova, A study of the effect of $KClO_3$ addition on the AC susceptibility and microstructure of high-temperature (T_c^{onset} at 105 K) YBCO ceramic superconductors, **308** (1998) 175
Vinnikov, L.Ya., T.L. Barkov, B. Irmer, K. Kragler and G. Saemann-Ischenko, Vortex arrays in the BSCCO (2212) single crystals in the vicinity of steps on the sample surface, **308** (1998) 99

Wang, Y.-L., see Chiba, T., **308** (1998) 40
Weiss, F., see Dubourdieu, C., **308** (1998) 16
Wen, H.H., see Yang, W.L., **308** (1998) 294
Wenneker, I., see Chiodelli, G., **308** (1998) 257
Willis, T.C., see Ingle, N.J.C., **308** (1998) 191
Wu, F., see Yang, W.L., **308** (1998) 294
Wu, J.Z., see Gapud, A.A., **308** (1998) 264
Wu, L.-J., see Chiba, T., **308** (1998) 40
Wu, S.W., see Gapud, A.A., **308** (1998) 264
Wysokiński, K.I., see Litak, G., **308** (1998) 132

Xie, Y.Y., see Gapud, A.A., **308** (1998) 264
Xiong, J.W., see Yang, W.L., **308** (1998) 294

Yamaji, K., see Koike, S., **308** (1998) 301
Yamauchi, H., see Ito, T., **308** (1998) 198
Yamauchi, H., see Ito, T., **308** (1998) 9
Yanagisawa, T., see Koike, S., **308** (1998) 301
Yang, I.-S., see Kim, J.-Y., **308** (1998) 60
Yang, W.L., H.H. Wen, Y.M. Ni, J.W. Xiong, H. Chen, C. Dong, F. Wu, Y.L. Qin and Z.X. Zhao, Crystal growth and superconductivity of heavily La-doped Bi-2201 single crystals, **308** (1998) 294
Yom, S.S., see Kim, J.-Y., **308** (1998) 60
Yoo, J., see Hua, L., **308** (1998) 105
Yoo, J., see Oh, S., **308** (1998) 91
Yoo, S.H., see Gapud, A.A., **308** (1998) 264
Youm, D., see Oh, S., **308** (1998) 91

Zeldov, E., see Doyle, R.A., **308** (1998) 123
Zhao, Z.X., see Yang, W.L., **308** (1998) 294

ELSEVIER

Physica C 308 (1998) 318–319

PHYSICA C

Analytic Subject Index to Volume 308

AC losses 215
AC susceptibility
–of $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_{(x)}Cu_3O_y$ 175
–of $Y_1Ba_{(2-x)}K_{(x)}Cu_3O_y$ 175
–of $Y_1Ba_2Cu_{(3.5-x)}K_{(x)}O_y$ 175
AC-susceptibility
–of $Tb_xY_{1-x}Ni_2B_2C$ 243
Activation energy
–of BSCCO(2223)/Ag tape 21
Annealing
–of $(Pb_{0.5}V_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 289
Antiferromagnetic order
–in $Bi_2Sr_{2-x}La_xCuO_{6+y}$ single crystals 294

Bipolaronic superconductivity 1
Borocarbides
–of $Tb_xY_{1-x}Ni_2B_2C$ 243
Bulk pinning
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 123

Cation kinetics
–in $YBa_2Cu_3O_x$ thin films 251
CeO_2 bufferlayer 91
–in YBCO films 91
Ceramic preparation
–of $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_{(x)}Cu_3O_y$ 175
–of $Y_1Ba_{(2-x)}K_{(x)}Cu_3O_y$ 175
–of $Y_1Ba_2Cu_{(3.5-x)}K_{(x)}O_y$ 175
–of $Y_1Ba_2Cu_3O_y$ 175
Charge density wave 132
Charged bosons 1
Conductivity 33
Crack formation
–in YBCO films 91
Critical current density
–of Bi-2223/Ag tapes 105
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$/Ag tape 40
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 115
–of $YBa_2Cu_3O_{6+x}$ 235
–of $YBa_2Cu_3O_{7-\delta}$ film 169
Critical state model 215
Cu–O planes 55
Current lead
–of $YBa_2Cu_3O_{6+x}$ 235

Decoration technique 99
Dielectric constant 279
Directional solidification 235
Disordered superconductors 132
Doping effects
–on $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_{(x)}Cu_3O_y$ 175
–on $Y_1Ba_{(2-x)}K_{(x)}Cu_3O_y$ 175
–on $Y_1Ba_2Cu_{(3.5-x)}K_{(x)}O_y$ 175

Effective medium theory 33
Electrical conductivity
–of $SmBa_2Cu_3O_{6+x}$ 257
Electrical resistivity
–of $(Pb_{0.5}V_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 289
–of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2(Cu_{1-x}Fe_x)_3O_{10}$ 85
–of $Tb_xY_{1-x}Ni_2B_2C$ 243
Exact-diagonalization method 301

Ferroelectric film
–of $Y_1Ba_2Cu_3O_{7-x}$ 221
Fishtail effect
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 115
Fluctuation effects 33
Fluctuations 132
Flux pinning
–in Bi-2223/Ag tapes 105
–in BiSrCaCuO-2223/Ag tapes 203
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 115
–in $YBa_2Cu_3O_{7-\delta}$ films 169
Frustration 55

Generic magnetic phase diagram
–of 2H-$NbSe_2$ 25
Geometrical barrier
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ crystal 123
Grain alignment (texturing)
–in YbaCuO 161
Grain boundaries
–in $YBa_2Cu_3O_{7-x}$ films 16
Granularity 147

Heat treatment
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$/Ag tape 40
Heating 215
Heterostructures
–of $Y_1Ba_2Cu_3O_{7-x}$ 221
High deposition rates
–of $YBa_2Cu_3O_x$ thin films 251
High oxygen pressure 235
High pressure synthesis
–of $CuBa_2Ca_3Cu_4O_{10+\delta}$ 198
High speed PLD
–of $YBa_2Cu_3O_x$ 251
Hot isostatic pressing
–of $Pb_{0.8}Sn_{0.2}Mo_6S_8$ 191
Hubbard model 132
Hysteric behaviour 147

I–V characteristics
–of $Y_1Ba_2Cu_3O_{7-x}$ 221
Inclined substrate deposition
–of $YBa_2Cu_3O_{7-\delta}$ films 169
Infrared spectroscopy
–on $BaPbO_3$ 60
–on $YBa_2Cu_3O_{7-\delta}$ 60
Intergranular material 60
Interlayer tunneling 226
Irreversibility line
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 123
–of $YBa_2Cu_3O_{7-\delta}$ films 169

Large polarons
–in $SmBa_2Cu_3O_{6+x}$ 257
Lattice defects
–in YBCO films 91
Lattice parameters
–of $(Pb_{0.5}V_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 289
–of $Pb_{0.8}Sn_{0.2}Mo_6S_8$ 191
Lattice vortex melting
–in BSCCO(2223)/Ag tape 21
Leakage current 221
Li doping
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 264
Long-range Coulomb interaction 301

Magnetic order
–in $Tb_xY_{1-x}Ni_2B_2C$ 243
Magnetic susceptibility
–of $CuBa_2Ca_3Cu_4O_{10+\delta}$ 198

Magnetization
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$/Ag tape 40
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ crystal 123
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 264
–of $YBa_2Cu_3O_{7-\delta}$ polycrystal 185
–of YNi_2B_2C thin films 67
Microstructure
–of $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_{(x)}Cu_3O_y$ 175
–of $Y_1Ba_{(2-x)}K_{(x)}Cu_3O_y$ 175
–of $Y_1Ba_2Cu_{(3.5-x)}K_{(x)}O_y$ 175
–of $Y_1Ba_2Cu_3O_y$ 175
Microwave absorption
–of $YBa_2Cu_3O_{7-x}$ films 16
Mixed state 74
Mössbauer spectroscopy
–of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2(Cu_{1-x}Fe_x)_3O_{10}$ 85
Multifilamentary high T_c tapes 203

Oxygen stoichiometry
–in $SmBa_2Cu_3O_{6+x}$ 257
–of $CuBa_2Ca_2Cu_3O_{8+\delta}$ 9
–of $CuBa_2Ca_3Cu_4O_{10+\delta}$ 198
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 115

Pair tunneling 226
Peak effect 25
–in 2H-$NbSe_2$ 25
Phase diagram
–of $Bi_2Sr_{2-x}La_xCuO_{6+y}$ single crystals 294
–of $La_2CuO_{4+\delta}$ 55
Phase evolution
–in Bi-2223/Ag tapes 105
Phase separation
–in $La_2CuO_{4+\delta}$ 55
Photoemission intensity 226
Precursor powder
–for Bi-2223/Ag tapes 105
Pseudogap 226

Raman spectroscopy
–on $BaPbO_3$ 60
–on $YBa_2Cu_3O_{7-\delta}$ 60

Sample steps
–in BSCCO single crystal 99
Single-crystal growth 161
Specific heat-low
–of $La_{2-x}Sr_xCuO_4$ 1
Structure
–of $(Pb_{0.5}V_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 289
–of $CuBa_2Ca_2Cu_3O_{8+\delta}$ 9
–of YBCO films 91
Substitution effect
–in $Bi_2Sr_{2-x}La_xCuO_{6+y}$ single crystals 294
Superconducting cylinder 74
Surface barrier
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ crystal 123
Surface impedance
–of $YBa_2Cu_3O_{7-x}$ films 16
Surface resistance; 16
Synthesis
–of $(Pb_{0.5}V_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 289
–of Bi-2223/Ag tapes 105
–of $CuBa_2Ca_2Cu_3O_{8+\delta}$ 9
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 264
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ thin films 264
–of $YBa_2Cu_3O_x$ thin films 251
–of $YBa_2Cu_3O_{6+x}$ current leads 235
–of $YBa_2Cu_3O_{7-\delta}/Ba_{0.05}Sr_{0.95}TiO_3$ thin films 279
–of YNi_2B_2C thin film 67
–of YbaCuO 161

Thermomagnetic history dependence 25
Transition temperature
–of $Pb_{0.8}Sn_{0.2}Mo_6S_8$ 191
Transport AC losses
–in BiSrCaCuO-2223/Ag tapes 203
Two-chain Hubbard model 301
Type-II superconductors 74

Voltage tunable devices 279
Vortex behavior
–in $YBa_2Cu_3O_{7-\delta}$ polycrystal 185
Vortex state 25
Vortices distribution
–in BSCCO single crystal 99

X-ray diffraction
–of $Bi_{1.7}Pb_{0.3}Sr_2Ca_2(Cu_{1-x}Fe_x)_3O_{10}$ 85
–on $HgBa_2Ca_2Cu_3O_{8+\delta}$ 264
–on YNi_2B_2C thin films 67